

INDOOR
interior

ALCANTARA®



4083 GRAYSH



2627 CAMEO BROWN



8907 CHIANTI



1096 BLOOM



3096 GOYA RED



8801 POMPEIAN RED



4084 PALM



4131 ORANGE



3335 AMARETTO



4180 TAUPE



4025 CADMIUM



7569 AUBERGINE



1016 CURRY



4077 DARK CAMEL



7574 BORDEAUX



1234 ANDY



1605 SADDLE



5141 STRING



3051 CAMEL



4061 PRALINE



7801 BROWN





4175 PORCELAIN



6408 INFANTA



6503 COMMODORE



2129 AUBUSSON



3490 BABY GREY



7941 NAVY




2156 CELADON



6801 NILE



7586 BOHEMIAN



1400 STONE



7912 BRITTANY



6601 VIOLET



3470 VELVET



6440 POWDER



6406 SEA




2536 LUNARGLIDE



6404 CHIC



7520 METEORITE



1105 NEVE



1042 ICE



3003 KOALA



1001 EGGSHELL



1150 IVORY



1100 SEA SAND



1267 SILICA



1254 DUNE



1110 AMBER GLOW



1112 DOVE



1070 CORN



4900 TERRA



7290 MUSCATTE



7490 CHESTNUT



9990 NOTTE



6422 ANTHRACITE



7010 ULTRA UMBER



9901 SLATE BLACK





4078 PEARL



3410 SILVER



3801 WHALE



5810 STEEL



9165 MONKFISH



6407 KIWI



5700 LIZARD



6405 LICHEN



7711 MALACHITE



4129 EMERALD



6501 TREKKING



2161 ALMOND



1153 GOLD



P100 DENIM



P110 AVIO



P010 CONCRETE









P000 FLEECE








P200 FLAX



P210 MOCHA




Alcantara® Master EVO/ution		Cod.5015		Cod.5763		 	
Application		Wall covering, Interior decorations		Contract wall covering			
MAIN CHARACTERISTICS							
COMPOSITION	Polyester	68 ± 3%	Polyester	68 ± 3%			
	Polyurethane	32 ± 3%	Polyurethane	32 ± 3%			
FR TREATED	YES		FR TREATED	YES			
THICKNESS	0.83 ± 0.1mm		THICKNESS	0.83 ± 0.1mm			
UNIT WEIGHT	230 ± 30g/m ²		UNIT WEIGHT	320 ± 45 g/m ²			
FLAME RESISTANCE	UNI EN 29073-1		FLAME RESISTANCE	UNI EN 29073-1 EN 15102:2007 + A1:2011 EN 13501-1:2009			
GENERAL WASHING			GENERAL WASHING				





Alcantara® Bord FR EVO/ution		Cod.5056					
Application		Marine wall covering					
MAIN CHARACTERISTICS							
COMPOSITION	ALCANTARA®	Polyester	70 ± 3%	Polyurethane	30 ± 3%		
FR TREATED	YES		FR TREATED	YES			
THICKNESS	0.4 ± 0.05 mm		THICKNESS	0.4 ± 0.05 mm			
UNIT WEIGHT	150 ± 50 g/m ²		UNIT WEIGHT	150 ± 50 g/m ²			
FLAME RESISTANCE	UNI EN 29073-1		FLAME RESISTANCE	IMO RES A653 (ISO 5658) Complies			
	Calorific value (ISO 1716)			≤ 44.9MJ/m ²			
	Smoke Density (ISO 5659/2)			≤ 200			
GENERAL WASHING			GENERAL WASHING				



Alcantara® has been Carbon Neutral since 2009.
Each meter of Alcantara® has a zero impact on Global Warming
Alcantara® "EVO/ution" is produced with partially bio-based polyester.



Alcantara® Avant EVO/ution		Cod.5466			
Application		Upholstery Aviation / Contract / Marine			
MAIN CHARACTERISTICS	COMPOSITION	ALCANTARA®	Polyester	68 ± 3%	
			Polyurethane	32 ± 3%	
		Backing	Cot/Kanecaron®	45/55%	
	FR TREATED	YES			
	THICKNESS			≥ 0.95 mm	
	UNIT WEIGHT		EN 29073-1	≥ 435 g/m ²	
FLAME RESISTANCE		BS 5852 Crib 5			
		IMO RES A652		Complies	
		FAR / JAR 25.853			
GENERAL WASHING					

Alcantara® Multilayer EVO/ution		Cod.5170			
Application		Upholstery			
MAIN CHARACTERISTICS	COMPOSITION	ALCANTARA®	Polyester	71 ± 3%	
			Polyurethane	29 ± 3%	
	THICKNESS			1.2 ± 0.2mm	
	UNIT WEIGHT		UNI EN 29073-1	390 ± 60g/m ²	
	FLAMMABILITY		California Technical Bulletin 117:2013 Section 1	Complies	
	GENERAL WASHING				

Alcantara® Multilayer “EVO/ution” contains also post-consumer recycled polyester.
 Each meter of **Alcantara® Multilayer “EVO/ution”** can recover up to 10 PET bottles from the environment.



Alcantara® has been Carbon Neutral since 2009.
 Each meter of **Alcantara®** has a zero impact on Global Warming
Alcantara® “EVO/ution” is produced with partially bio-based polyester.



Materiale Pubblicitario non destinato alla vendita.
Alcantara is a register trademark of Alcantara S.p.A.

Alcantara S.p.a.
Via Mecenate, 86 20138 Milano Italy
Tel. +39 02 580301
info@alcantara.com
alcantara.com



Camari International Ltd
1525 North Hexing Rd, Jiaxing, Zhejiang, China
Ph: +86 573 82680007 F: +86 573 82683977
info@camari-international.com
www.camari-international.com